


IMPACT BARS

Extremely Low Friction For Long Wear Life

Impact Bars fitted at conveyor transfer and feed points reduce the risk of costly puncture damage to your conveyor belts.

Spillage, surge loading and airborne dust at conveyor transfer/feed points cause a number of costly environmental and safety problems. Material build up, seized rollers and conveyor belt wear erode maintenance budgets. Smiley Monroe offers Impact Bars and proven solutions to spillage and dust escaping at transfer / feed points. Our system is tailored to suit your specific application and the severity of the problem, using standard components.




WHY IMPACT BARS?

- ✓ Designed specifically for heavy product loading and conveyor transfer/feed points
- ✓ Reduced risk of belt rip and punctures
- ✓ Extremely robust and impact resistant
- ✓ Extends belt and skirting lifespan - unlike roller sets, fully supports belt and prevents sagging
- ✓ Helps to reduce spillage in conjunction with skirt sealing arrangement
- ✓ Reduces your maintenance costs
- ✓ Contributes to a cleaner, healthier and safer workplace - helps reduce slips, trips and falls



IMPACT BARS



- Extremely low coefficient of friction for long wear life
- UHMWPe surface (fire resistant version available on request)
- Shock absorbing rubber
- T-Bolt slot as standard in aluminium or mild steel for underground applications

Stock Impact Bar sizes

Height (mm)	Width (mm)	Length (mm)	Weight (Kg)
55	100	1240	8
55	100	1500	10
75	100	1500	13.7

Other sizes available to order

Forged Steel T-Bolts

Thread	Length (mm)
M16	60
M16	90

V1 09/18

Head Office & Production Centre
Smiley Monroe Ltd
23 Ferguson Drive
Knockmore Hill Industrial Park
Lisburn, BT28 2EX
Northern Ireland, United Kingdom

T. +44 (0) 28 9267 3777
E. hello@smileymonroe.com



smileymonroe.com ISO 9001 OHSAS 18001

